

# **SNOW & STARS CORP.**

## **STERLING SILVER MACHINE CHAINS & FINDINGS**

18 Delaine Street, Providence, Rhode Island 02909

TEL: (401) 421-4134 • FAX: (401) 521-5420

Email: [office@snowandstars.com](mailto:office@snowandstars.com) • Web: [www.snowandstars.com](http://www.snowandstars.com)



# **SNOW & STARS CORP.**

## **STERLING SILVER MACHINE CHAINS & FINDINGS**



18 Delaine Street, Providence, Rhode Island 02909

TEL: (401) 421-4134 • FAX: (401) 521-5420 • Email: [office@snowandstars.com](mailto:office@snowandstars.com) • Web: [www.snowandstars.com](http://www.snowandstars.com)



Snow & Stars Corp., based in Providence, Rhode Island, is a subsidiary of the Nakagawa Corporation of Tokyo, Japan. We are an importer/distributor of chains and findings and are well known in the jewelry industry. We have been supplying quality merchandise along with quick and accurate delivery throughout the world since 1972.

We are proud of our reputation for offering high quality goods from around the world, including our own factories in Japan and Sri Lanka and additional sales branches in Japan, Germany, Hong Kong and Thailand. Our company offers brass, silver, stainless steel, titanium, gold and platinum chains and findings.

This catalog features our latest *Machine Chains & Findings Collection* available in sterling silver and is photographed at actual size. Please browse through the pages to inspire your creativity. Give us a call for our undivided attention to help you satisfy your individual needs. If it is something special you want, send us a sample, a photo or a description and let us go to work for you.

## OUR COMPLETE PRODUCT LINE INCLUDES

Handmade Chains — in Brass & Sterling Silver (see our Blue Catalog) — in Footage and Premade Lengths  
 Machine Made Chains — in Brass (see our Green Catalog) — Footage and Premade Lengths  
 Non-Freeze Spring Rings • Lobster Claws • Button and Magnet Clasps • Fold Over Clasps  
 Toggles & Rings • Locketts • End Pieces • Charms • Earring Parts • Other Findings  
 Imitation Pearls & Beads . . . and much more!

## CHAIN ITEM NUMBER FOR EXAMPLE

|                           |         |        |
|---------------------------|---------|--------|
| 2.95g                     | AG-130S | 1.02mm |
| Weight:<br>Gram Per Meter | Item #  | Width  |

### CHAINS

|                          |            |
|--------------------------|------------|
| CABLE .....              | 2, 3, 4, 5 |
| CABLE LASER SOLDER ..... | 5          |
| CURB .....               | 1, 2       |
| DESIGN CABLE .....       | 5          |
| DOUBLE ROPE .....        | 1, 2, 3    |
| FIGARO .....             | 6, 7       |
| HERRINGBONE .....        | 7          |
| IMITATION SNAKE .....    | 6          |
| JAPANESE ELEGANT .....   | 7, 8       |
| ROLO .....               | 6          |
| SHADOW BERRY .....       | 7          |
| SINGAPORE .....          | 7          |
| SWAGE .....              | 5          |
| SLIDER NECKLACE .....    | 9          |

### QUANTITY ON CHAIN SPOOLS

| METER     | FEET  |
|-----------|-------|
| 5 .....   | 16.4  |
| 10 .....  | 32.8  |
| 20 .....  | 65.6  |
| 25 .....  | 82.0  |
| 30 .....  | 98.4  |
| 40 .....  | 131.2 |
| 50 .....  | 164.0 |
| 60 .....  | 196.8 |
| 100 ..... | 328.0 |
| 150 ..... | 492.0 |
| 200 ..... | 656.0 |
| 250 ..... | 820.0 |
| 300 ..... | 984.0 |

### FINDINGS

|                     |   |
|---------------------|---|
| CLASP .....         | 8 |
| EARRING CATCH ..... | 8 |
| SLIDER BEAD .....   | 8 |
| SPRING RING .....   | 8 |
| TAB END .....       | 8 |

### WIRE GAUGE

| MILLIMETER | INCH |
|------------|------|
| 0.25 ..... | .010 |
| 0.30 ..... | .012 |
| 0.35 ..... | .014 |
| 0.40 ..... | .016 |
| 0.45 ..... | .018 |
| 0.50 ..... | .020 |
| 0.55 ..... | .022 |
| 0.60 ..... | .024 |
| 0.65 ..... | .026 |
| 0.80 ..... | .031 |
| 1.00 ..... | .039 |
| 1.20 ..... | .047 |
| 1.40 ..... | .055 |
| 1.60 ..... | .063 |
| 1.80 ..... | .071 |
| 2.00 ..... | .079 |
| 2.50 ..... | .098 |

## CURB

|        |           |        |
|--------|-----------|--------|
| 2.95g  | AG-130S   | 1.02mm |
| 3.59g  | AG-135S   | 1.08mm |
| 4.80g  | AG-140S   | 1.35mm |
| 6.08g  | AG-145S   | 1.53mm |
| 7.75g  | AG-150S   | 1.69mm |
| 10.78g | AG-160S   | 2.04mm |
| 20.25g | AG-180S   | 2.88mm |
| 2.10g  | AG-125AS  | 0.91mm |
| 3.10g  | AG-130AS  | 1.09mm |
| 4.06g  | AG-135AS  | 1.26mm |
| 3.83g  | AG-135A2S | 1.26mm |
| 5.47g  | AG-140AS  | 1.48mm |
| 5.64g  | AG-140A2S | 1.41mm |
| 7.23g  | AG-145AS  | 1.62mm |
| 7.27g  | AG-145A2S | 1.56mm |
| 13.20g | AG-160AS  | 2.19mm |
| 23.20g | AG-180AS  | 2.90mm |

|        |                          |        |
|--------|--------------------------|--------|
| 1.65g  | AG-125BS                 | 1.00mm |
| 2.98g  | AG-135BS                 | 1.43mm |
| 4.33g  | AG-140BS                 | 1.00mm |
| 6.45g  | AG-150BS/TL (TAIL CHAIN) | 2.75mm |
| 6.07g  | AG-150BS-K               | 2.58mm |
| 9.40g  | AG-160BS                 | 3.16mm |
| 14.25g | AG-180BS                 | 3.30mm |
| 20.95g | AG-180AHS-1              | 3.10mm |
| 3.54g  | AG-135SKL                | 1.27mm |
| 5.48g  | AG-145SKL                | 1.50mm |
| 6.20g  | AG-145SKL-2              | 1.50mm |
| 8.50g  | AG-160BSK2               | 3.30mm |
| 9.60g  | AG-160BSK21              | 3.40mm |
| 3.75g  | AG-135SCS                | 1.10mm |
| 6.25g  | AG-145SCS                | 1.40mm |
| 5.35g  | AG-OM01-145SCS           | 2.07mm |
| 10.90g | AG-160SCS                | 2.00mm |
| 5.30g  | AG-145B2SCS              | 1.70mm |

# SNOW & STARS CORP.

|        |              |        |
|--------|--------------|--------|
| 5.86g  | AG-150BSCS   | 2.00mm |
| 8.45g  | AG-160BSCS   | 3.00mm |
| 7.80g  | AG-160B2SCS  | 2.30mm |
| 20.24g | AG-180SCS    | 2.50mm |
| 13.90g | AG-180BSCS   | 3.30mm |
| 3.14g  | AG-135SDC2   | 1.20mm |
| 3.48g  | AG-135A2SDC2 | 1.25mm |
| 4.49g  | AG-140SDC2   | 1.43mm |
| 4.75g  | AG-140A2SDC2 | 1.40mm |
| 5.70g  | AG-145A2SDC2 | 1.55mm |
| 11.70g | AG-160A2SDC2 | 1.12mm |
| 22.20g | AG-180ASDC2  | 2.92mm |
| 20.50g | AG-180A2SDC2 | 2.72mm |

## CABLE

|       |              |        |
|-------|--------------|--------|
| 1.91g | AG-225S      | 1.02mm |
| 1.83g | AG-225SF     | 1.08mm |
| 1.40g | AG-OM13-225S | 1.49mm |
| 2.70g | AG-230S      | 1.20mm |









|       |              |        |
|-------|--------------|--------|
| 4.48g | AG-OM12-230S | 1.60mm |
| 2.60g | AG-230SF     | 1.25mm |
| 3.55g | AG-235S      | 1.48mm |
| 3.47g | AG-OM41-235S | 1.31mm |
| 2.62g | AG-230SD     | 0.99mm |
| 3.41g | AG-235SF     | 1.58mm |
| 3.20g | AG-235SD     | 1.15mm |
| 4.79g | AG-240S      | 1.58mm |
| 4.48g | AG-OM11-240S | 1.92mm |
| 4.42g | AG-240SF     | 1.68mm |
| 4.45g | AG-240SD     | 1.40mm |
| 5.67g | AG-245S      | 1.75mm |
| 5.50g | AG-245SF     | 1.83mm |
| 5.43g | AG-245SR     | 1.81mm |
| 5.28g | AG-245SD     | 1.50mm |
| 7.36g | AG-250S      | 1.98mm |
| 6.70g | AG-OM05-250S | 2.65mm |
| 7.08g | AG-250SF     | 2.20mm |
| 8.75g | AG-255S      | 2.17mm |




# SNOW & STARS CORP.


|        |               |        |
|--------|---------------|--------|
| 8.09g  | AG-255SF      | 2.25mm |
| 9.92g  | AG-260S       | 2.25mm |
| 10.16g | AG-OM02-260S  | 2.52mm |
| 9.36g  | AG-OM14-260S  | 3.60mm |
| 10.80g | AG-260SF      | 2.50mm |
| 9.54g  | AG-260SR      | 2.45mm |
| 12.25g | AG-265S       | 2.60mm |
| 11.65g | AG-265SF      | 2.72mm |
| 18.50g | AG-280S       | 3.05mm |
| 17.25g | AG-280SR      | 3.10mm |
| 15.68g | AG-OM42-280SR | 4.85mm |
| 28.95g | AG-210S       | 3.94mm |
| 27.62g | AG-210SF      | 4.07mm |
| 93.65g | AG-216S       | 6.25mm |
| 90.20g | AG-OM08-218S  | 8.11mm |
| 1.97g  | AG-225AS      | 0.92mm |

|        |            |        |
|--------|------------|--------|
| 5.45g  | AG-240AS   | 1.51mm |
| 6.90g  | AG-245AS   | 1.69mm |
| 8.80g  | AG-250AS   | 1.87mm |
| 12.35g | AG-260AS   | 2.21mm |
| 22.45g | AG-280AS   | 3.07mm |
| 34.50g | AG-210AS   | 3.66mm |
| 50.80g | AG-212AS   | 4.40mm |
| 1.56g  | AG-225B4S  | 1.10mm |
| 1.51g  | AG-225B4SF | 1.15mm |
| 1.37g  | AG-225B4SD | 0.99mm |
| 2.21g  | AG-230B4S  | 1.42mm |
| 2.05g  | AG-230B4SF | 1.47mm |
| 2.06g  | AG-230B4SD | 1.15mm |
| 2.30g  | AG-230B6S  | 1.73mm |
| 3.00g  | AG-235BS   | 1.85mm |
| 2.75g  | AG-235BSF  | 1.40mm |
| 4.15g  | AG-240B3SD | 1.70mm |
| 3.98g  | AG-240B5S  | 2.14mm |


# SNOW & STARS CORP.

|                                                                                    |        |                 |        |
|------------------------------------------------------------------------------------|--------|-----------------|--------|
|    | 3.92g  | AG-240B5SF      | 2.10mm |
|    | 4.10g  | AG-240B5SFN     | 2.00mm |
|    | 5.07g  | AG-245BS        | 2.28mm |
|    | 6.01g  | AG-250B2SF      | 1.90mm |
|    | 5.36g  | AG-OM09-250BSD  | 2.17mm |
|    | 5.17g  | AG-OM09-250BSDF | 2.20mm |
|    | 5.85g  | AG-250B5SFN     | 2.45mm |
|    | 8.37g  | AG-260BS        | 2.28mm |
|    | 9.88g  | AG-260BS/US     | 2.90mm |
|  | 8.97g  | AG-260B5S       | 3.40mm |
|  | 8.58g  | AG-260B1SD      | 2.20mm |
|  | 9.19g  | AG-260B5SFN     | 3.13mm |
|  | 9.32g  | AG-260B7SF      | 3.38mm |
|  | 8.55g  | AG-260B8SF      | 4.08mm |
|  | 16.07g | AG-280BS        | 3.04mm |
|  | 16.76g | AG-280B2S       | 3.82mm |
|  | 16.27g | AG-280B5SFN     | 3.98mm |

|                                                                                      |        |              |        |
|--------------------------------------------------------------------------------------|--------|--------------|--------|
|    | 9.32g  | AG-280B7SF   | 4.68mm |
|    | 8.55g  | AG-280B8SF   | 5.14mm |
|    | 25.50g | AG-210BS     | 4.10mm |
|    | 27.65g | AG-210B7SF   | 5.63mm |
|    | 88.58g | AG-218BS     | 8.80mm |
|    | 2.90g  | AG-2235SF    | 1.50mm |
|    | 3.48g  | AG-2340SF    | 2.05mm |
|    | 2.00g  | AG-230SDC4   | 1.10mm |
|    | 2.87g  | AG-235SDC4   | 1.25mm |
|  | 2.89g  | AG-235SDDC4  | 1.10mm |
|  | 3.72g  | AG-240SDDC4  | 1.30mm |
|  | 4.26g  | AG-240ASDCT4 | 1.10mm |
|  | 4.57g  | AG-240ASDC4  | 1.27mm |
|  | 5.17g  | AG-245SDDC4  | 1.45mm |
|  | 5.75g  | AG-245ASDC4  | 1.55mm |
|  | 5.86g  | AG-250SDDC4  | 1.65mm |
|  | 7.80g  | AG-250ASDC4  | 1.67mm |

|                                                                                  |               |        |
|----------------------------------------------------------------------------------|---------------|--------|
|  |               |        |
| 4.70g                                                                            | AG-250BSDC4   | 1.87mm |
|  |               |        |
| 7.50g                                                                            | AG-255SDDC4   | 1.85mm |
|  |               |        |
| 9.41g                                                                            | AG-260SDDC4   | 2.05mm |
|  |               |        |
| 10.54g                                                                           | AG-265SDDC4   | 2.08mm |
|  |               |        |
| 7.58g                                                                            | AG-260BSDC4   | 2.25mm |
|  |               |        |
| 7.48g                                                                            | AG-260B1SDDC4 | 2.18mm |
|  |               |        |
| 16.28g                                                                           | AG-280SDDC4   | 2.75mm |
|  |               |        |
| 18.90g                                                                           | AG-280ASDC4   | 2.83mm |


## CABLE LASER SOLDER

|                                                                                    |               |        |
|------------------------------------------------------------------------------------|---------------|--------|
|  |               |        |
| 2.54g                                                                              | AG-230S-WE    | 1.10mm |
|  |               |        |
| 2.53g                                                                              | AG-230SF-WE   | 1.17mm |
|  |               |        |
| 2.41g                                                                              | AG-230SR-WE   | 1.17mm |
|  |               |        |
| 2.20g                                                                              | AG-230SDC4-WE | 1.05mm |

## DESIGN CABLE

|                                                                                    |                |        |
|------------------------------------------------------------------------------------|----------------|--------|
|  |                |        |
| 6.90g                                                                              | AG-TW-260B5SFN | 3.14mm |
|  |                |        |
| 13.30g                                                                             | AG-TW-280B7SF  | 4.50mm |
|  |                |        |
| 21.90g                                                                             | AG-TW-210BSF   | 5.80mm |

## SWAGE

|                                                                                      |                 |               |
|--------------------------------------------------------------------------------------|-----------------|---------------|
|    |                 |               |
| 3.36g                                                                                | AG-135SA53T     | 1.13mm        |
|    |                 |               |
| 3.57g                                                                                | AG-135SA54      | 0.70 X 0.72mm |
|    |                 |               |
| 4.65g                                                                                | AG-140SA54      | 0.80 X 0.85mm |
|    |                 |               |
| 6.35g                                                                                | AG-145SA53      | 0.60 X 1.30mm |
|    |                 |               |
| 5.96g                                                                                | AG-145SA53T     | 1.60mm        |
|    |                 |               |
| 6.12g                                                                                | AG-145SA54      | 0.90 X 0.94mm |
|    |                 |               |
| 11.10g                                                                               | AG-160SA54      | 1.28 X 1.20mm |
|   |                 |               |
| 11.10g                                                                               | AG-180SA54      | 1.70 X 1.60mm |
|  |                 |               |
| 3.00g                                                                                | AG-135SA53DC2   | 0.95mm        |
|  |                 |               |
| 3.75g                                                                                | AG-140SA53DC2   | 1.07mm        |
|  |                 |               |
| 4.71g                                                                                | AG-240SA55      | 0.73mm        |
|  |                 |               |
| 4.95g                                                                                | AG-240SA55/WAVE |               |
|  |                 |               |
| 11.50g                                                                               | AG-260SA14      | 1.75mm        |
|  |                 |               |
| 3.71g                                                                                | AG-240SA55DC4   | 0.60mm        |
|  |                 |               |
| 3.20g                                                                                | AG-240SA55DC4N  |               |

## DOUBLE ROPE

|                                                                                      |           |        |
|--------------------------------------------------------------------------------------|-----------|--------|
|  |           |        |
| 3.25g                                                                                | AG-D-225S | 1.32mm |

|       |                |        |
|-------|----------------|--------|
| 3.10g | AG-OM07-D-225S | 1.67mm |
|-------|----------------|--------|

|       |           |        |
|-------|-----------|--------|
| 4.69g | AG-D-230S | 1.50mm |
|-------|-----------|--------|

|       |            |        |
|-------|------------|--------|
| 4.92g | AG-D-230AS | 1.43mm |
|-------|------------|--------|

|       |           |        |
|-------|-----------|--------|
| 6.34g | AG-D-235S | 1.83mm |
|-------|-----------|--------|

|       |            |        |
|-------|------------|--------|
| 6.67g | AG-D-235AS | 1.69mm |
|-------|------------|--------|

|       |            |        |
|-------|------------|--------|
| 8.95g | AG-D-240AS | 1.98mm |
|-------|------------|--------|

|       |           |        |
|-------|-----------|--------|
| 8.47g | AG-D-240S | 2.05mm |
|-------|-----------|--------|

|        |            |        |
|--------|------------|--------|
| 11.20g | AG-D-245AS | 2.21mm |
|--------|------------|--------|

|        |           |        |
|--------|-----------|--------|
| 13.60g | AG-D-250S | 2.58mm |
|--------|-----------|--------|

|        |            |        |
|--------|------------|--------|
| 13.73g | AG-D-250AS | 2.45mm |
|--------|------------|--------|

|        |            |        |
|--------|------------|--------|
| 21.15g | AG-D-260AS | 2.94mm |
|--------|------------|--------|

|        |            |        |
|--------|------------|--------|
| 34.52g | AG-D-280AS | 3.95mm |
|--------|------------|--------|

|       |              |        |
|-------|--------------|--------|
| 5.30g | AG-D-230ASN3 | 1.05mm |
|-------|--------------|--------|

|       |              |        |
|-------|--------------|--------|
| 6.45g | AG-D-235ASN3 | 1.20mm |
|-------|--------------|--------|

|        |              |        |
|--------|--------------|--------|
| 14.50g | AG-D-250ASN3 | 1.75mm |
|--------|--------------|--------|

|        |              |        |
|--------|--------------|--------|
| 35.40g | AG-D-280ASN3 | 2.90mm |
|--------|--------------|--------|

## ROLO

|       |            |        |
|-------|------------|--------|
| 4.95g | AG-280-2AS | 1.90mm |
|-------|------------|--------|

|       |           |        |
|-------|-----------|--------|
| 6.58g | AG-260-2S | 1.70mm |
|-------|-----------|--------|

|        |           |        |
|--------|-----------|--------|
| 12.30g | AG-280-2S | 2.35mm |
|--------|-----------|--------|

|        |              |        |
|--------|--------------|--------|
| 18.65g | AG-210-2S-TF | 2.92mm |
|--------|--------------|--------|

|        |           |        |
|--------|-----------|--------|
| 28.45g | AG-214-2S | 3.64mm |
|--------|-----------|--------|

## IMITATION SNAKE (MAGIC)

|       |            |        |
|-------|------------|--------|
| 6.13g | AG-MS-03A1 | 0.90mm |
|-------|------------|--------|

|       |               |        |
|-------|---------------|--------|
| 5.19g | AG-MS-03A2DC4 | 0.70mm |
|-------|---------------|--------|

|       |             |        |
|-------|-------------|--------|
| 8.36g | AG-MS-035A1 | 1.10mm |
|-------|-------------|--------|

|       |             |        |
|-------|-------------|--------|
| 7.76g | AG-MS-035A2 | 0.95mm |
|-------|-------------|--------|

|       |                |        |
|-------|----------------|--------|
| 5.19g | AG-MS-035A2DC4 | 0.80mm |
|-------|----------------|--------|

|       |             |        |
|-------|-------------|--------|
| 4.18g | AG-MS-025A1 | 0.80mm |
|-------|-------------|--------|

|        |            |        |
|--------|------------|--------|
| 10.18g | AG-MS-04A1 | 1.25mm |
|--------|------------|--------|

|        |            |        |
|--------|------------|--------|
| 10.15g | AG-MS-04A2 | 1.07mm |
|--------|------------|--------|

## FIGARO

|       |               |        |
|-------|---------------|--------|
| 3.70g | AG-L-140/1-1S | 1.44mm |
|-------|---------------|--------|

|       |               |        |
|-------|---------------|--------|
| 4.09g | AG-L-140/1-3S | 1.44mm |
|-------|---------------|--------|

|       |               |        |
|-------|---------------|--------|
| 8.38g | AG-L-160/1-1S | 2.16mm |
|-------|---------------|--------|

|       |               |        |
|-------|---------------|--------|
| 9.38g | AG-L-160/1-3S | 2.16mm |
|-------|---------------|--------|

|       |                 |        |
|-------|-----------------|--------|
| 3.40g | AG-L-140/1-1SCS | 1.44mm |
| 3.80g | AG-L-140/1-3SCS | 1.44mm |
| 7.85g | AG-L-160/1-1SCS | 2.16mm |

## HERRINGBONE

|       |             |        |
|-------|-------------|--------|
| 8.46g | AG-HB-45DC2 | 1.85mm |
|-------|-------------|--------|

## SHADOW BERRY

|       |              |        |
|-------|--------------|--------|
| 5.92g | AG-SB-045DC2 | 1.70mm |
|-------|--------------|--------|

## SINGAPORE

|       |           |        |
|-------|-----------|--------|
| 4.30g | AG-SCR-30 | 1.20mm |
|-------|-----------|--------|

## JAPANESE ELEGANT

|       |            |        |
|-------|------------|--------|
| 8.83g | AG-160BSK2 | 3.30mm |
|-------|------------|--------|

|       |             |        |
|-------|-------------|--------|
| 9.27g | AG-160BSK21 | 3.20mm |
|-------|-------------|--------|

|       |             |        |
|-------|-------------|--------|
| 4.51g | AG-240DM40S | 3.50mm |
|-------|-------------|--------|

|       |              |        |
|-------|--------------|--------|
| 4.51g | AG-240DM40SF | 3.60mm |
|-------|--------------|--------|

|        |             |        |
|--------|-------------|--------|
| 10.72g | AG-260DM50S | 4.50mm |
|--------|-------------|--------|

|        |              |        |
|--------|--------------|--------|
| 10.20g | AG-260DM50SF | 4.90mm |
|--------|--------------|--------|

|       |            |        |
|-------|------------|--------|
| 2.75g | AG-2535SK3 | 2.50mm |
|-------|------------|--------|

|       |               |        |
|-------|---------------|--------|
| 3.27g | AG-235DM30SK6 | 3.00mm |
|-------|---------------|--------|

|       |            |        |
|-------|------------|--------|
| 2.44g | AG-2735SK3 | 2.50mm |
|-------|------------|--------|

|       |                |        |
|-------|----------------|--------|
| 1.21g | AG-225B3SK3-WE | 0.70mm |
|-------|----------------|--------|

|       |                 |        |
|-------|-----------------|--------|
| 1.10g | AG-225B3SDK3-WE | 0.80mm |
|-------|-----------------|--------|

|       |                |        |
|-------|----------------|--------|
| 2.30g | AG-235BSDK3-WE | 1.60mm |
|-------|----------------|--------|

|       |               |        |
|-------|---------------|--------|
| 3.05g | AG-235BSK2-WE | 1.40mm |
|-------|---------------|--------|

|       |          |        |
|-------|----------|--------|
| 3.98g | AG-5030S | 1.20mm |
|-------|----------|--------|

|       |          |        |
|-------|----------|--------|
| 8.99g | AG-5045S | 1.80mm |
|-------|----------|--------|

|       |         |        |
|-------|---------|--------|
| 3.58g | AG-640S | 1.20mm |
|-------|---------|--------|

|        |         |        |
|--------|---------|--------|
| 11.22g | AG-670S | 1.90mm |
|--------|---------|--------|

|       |                     |        |
|-------|---------------------|--------|
| 2.67g | AG-BUNNY-035SK11-WE | 2.90mm |
|-------|---------------------|--------|

|       |              |        |
|-------|--------------|--------|
| 4.80g | AG-HEX-06-2S | 2.90mm |
|-------|--------------|--------|

|       |              |        |
|-------|--------------|--------|
| 8.10g | AG-HEX-08-2S | 4.40mm |
|-------|--------------|--------|

|       |              |        |
|-------|--------------|--------|
| 6.05g | AG-L1-250SK2 | 3.20mm |
|-------|--------------|--------|

|       |               |        |
|-------|---------------|--------|
| 6.33g | AG-L1-250SK32 | 3.14mm |
|-------|---------------|--------|

|       |               |        |
|-------|---------------|--------|
| 6.33g | AG-L1-250SK33 | 3.00mm |
|-------|---------------|--------|

|        |                  |        |
|--------|------------------|--------|
| 13.79g | AG-L-280/1-1SKT1 | 2.60mm |
|--------|------------------|--------|

|        |                    |        |
|--------|--------------------|--------|
| 14.15g | AG-L-280/1-1SKT1K2 | 4.10mm |
|--------|--------------------|--------|

# SNOW & STARS CORP.

|        |              |        |
|--------|--------------|--------|
| 9.35g  | AG-SMR-10    | 1.10mm |
| 17.20g | AG-SMR-16    | 1.40mm |
| 34.59g | AG-SMR-19    | 2.20mm |
| 3.88g  | AG-TSP-25-WE | 0.80mm |
| 5.76g  | AG-TSP-30-WE | 1.00mm |

|        |               |        |
|--------|---------------|--------|
| 13.80g | AG-TSP-45J-WE | 1.40mm |
| 3.77g  | AG-V-08SDC4   | 0.80mm |
| 5.31g  | AG-V-10SDC4   | 1.00mm |
| 7.93g  | AG-V-12SDC4   | 1.20mm |
| 10.31g | AG-V-14SDC4   | 1.40mm |

## SPRING RING




## CLASP



## TAB END



## EARRING CATCH




## SLIDER BEAD



## SLIDER NECKLACE

AG-LS-135A2SDC2/20/NFRP



AG-LS-235S/20/NFRP



AG-LS-235SDDC4/20/NFRP



AG-LS-260-2S/20/NFRP



AG-LS-D230AS/20/NFRP



AG-L-140/1-1S/20/NFRP



AG-TSP-30/20/NFRP



AG-LS-V10SDC4/20/NFRP

